PRINTED: 03/09/2011 FORM APPROVED

Bureau of Health Care Quality and Compliance

| AND PLAN OF CORRECTION IDENTIFICATION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | | (X2) MULTIPLE CONSTRUCTION A. BUILDING | | | (X3) DATE SURVEY COMPLETED | |
|---------------------------------------|---|--|---|--|---|-------------|-------------------------------|--|
| | | NVS5366PCA | | B. WING | | 02/ | 02/14/2011 | |
| NAME OF PROVIDER OR SUPPLIER | | | STREET ADD | RESS, CITY, STA | TE, ZIP CODE | , , , , , , | | |
| ABSOLUTE PERSONAL CARE | | | 5527 S RAINBOW STE C LAS VEGAS, NV 89119 | | | | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION | | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | | (X5) COMPLETE DATE | |
| P 000 | , | | d as s, ral, ed as urvey thority | P 000 | DEFICIENC | CY) | | |
| | | ncies were identified. of this statement for you action is required. | ır | | | | | |

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE